






ANANTA IMPEX
WHERE DURABILITY MEETS ELEGANCE





SPECIFIC DESCRIPTION OF CPVC BALL VALVE


Item	cPVC Brass Ball Valve
Material	Brass / cPVC
Ball Material	Chrome Plated Brass
Stem Material	Brass
Valve Basic Body Materials	Brass
Handle Material	MS (Powered Coated) & SS
Handle Type	Lever
Surface Treatment	Natural Brass
Seat Material	PTFE
Body Seal Material	PTFE
Connection Type	cPVC Pipe
Application	Hot & Cold Water
Working Pressure	40bar/435 psi
Stem Type	Blowout Proof
Standards	ASTM-D2467, SCH-80

SPECIFIC DESCRIPTION OF BUTTERFLY BALL VALVE

Handle Material	Aluminum (Powered Coated)
-----------------	---------------------------

SPECIFIC DESCRIPTION OF BALL VALVE

Item	Brass Ball Valve
Material	Brass
Ball Material	Chrome Plated Brass
Stem Material	Brass
Valve Basic Body Materials	Brass
Handle Material	MS (Powered Coated) & SS
Handle Type	Lever
Surface Treatment	Nickel Plating
Seat Material	PTFE
Body Seal Material	PTFE
Connection Type	Screwed BSP Parallel (ISO 228/1)
Application	Oil & Petroleum, Water, Gas
Max. Temp	-20C to + 120C
Working Pressure	40bar / 435 psi
Stem Type	Blowout Proof
Standards	En 13828, DIN16962, ISO 15874





FORGED BRASS BALL VALVE (F/F - MEDIUM)

Code	Size	Weight	Qty/Cn.
BVFF-07	1/2"	165 gm	188
BVFF-08	3/4"	225 gm	160
BVFF-09	1"	315 gm	126

SPECIFIC DESCRIPTION OF BALL VALVE IN MM

DN	Size	D	L	L1	H	E	W
15	1/2"	13.5	57	16.5	52	99	23.5
20	3/4"	17	61	18	55	99	29.5
25	1"	22	69	18	65	108	35







FORGED BRASS BALL VALVE (F/F - HEAVY)

Code	Size	Weight	Qty/Cn.
BVFF-01	1/2"	185 gm	144
BVFF-02	3/4"	275 gm	144
BVFF-03	1"	400 gm	80
BVFF-04	1-1/4"	655 gm	48
BVFF-05	1-1/2"	770 gm	48
BVFF-06	2"	1250 gm	24

SPECIFIC DESCRIPTION OF BALL VALVE IN MM

DN	Size	D	L	L1	H	E	W
15	1/2"	14	58	16.5	50	99	24
20	3/4"	19	61	13.5	53	99	30
25	1"	24	68	15	64	108	37
32	1-1/4"	32	80	17	82	138	46
40	1-1/2"	37	90	17	86	138	53
50	2"	49	105	19	95	165	64






FORGED BRASS BALL VALVE (M/F)

Code	Size	Weight	Qty/Cn.
BVMF-01	1/2"	200 gm	144
BVMF-02	3/4"	295 gm	80
BVMF-03	1"	425 gm	80
BVMF-04	1-1/4"	720 gm	48
BVMF-05	1-1/2"	854 gm	48
BVMF-06	2"	1335 gm	24

SPECIFIC DESCRIPTION OF BALL VALVE IN MM

DN	Size	D	L	L1	L2	H	E	W
15	1/2"	14	61	12.5	14	49	99	24
20	3/4"	19	70	13.5	15	53	99	30
25	1"	24	80	15	17	64	108	37
32	1-1/4"	32	92	17	20	82	138	46
40	1-1/2"	37	103	17	21	86	138	53
50	2"	49	115	19	23	95	165	64






FORGED BRASS BALL VALVE WITH UNION EXTENSION

Code	Size	Weight	Qty/Cn.
BVUN-01	1/2"	267 gm	144
BVUN-02	3/4"	372 gm	80
BVUN-03	1"	582 gm	80

SPECIFIC DESCRIPTION OF BALL VALVE IN MM

DN	Size	D	L	L1	L2	H	E	W
15	1/2"	14	82	12.5	14	49	99	24
20	3/4"	19	88	13.5	15	53	99	30
25	1"	24	99	15	17	64	108	37






FORGED BRASS BUTTERFLY VALVE (F/F)

Code	Size	Weight	Qty/Cn.
BTFF-01	1/2"	153 gm	144
BTFF-02	3/4"	235 gm	80

SPECIFIC DESCRIPTION OF BUTTERFLY VALVE IN MM

DN	Size	D	L	L1	H	E	W
15	1/2"	14	51	12.5	39	52	24
20	3/4"	19	61	13.5	42	52	30







**FORGED BRASS BUTTERFLY VALVE
(M/F)**

Code	Size	Weight	Qty/Cn.
BTMF-01	1/2"	161 gm	144
BTMF-02	3/4"	251 gm	80

SPECIFIC DESCRIPTION OF BALL VALVE IN MM								
DN	Size	D	L	L1	L2	H	E	W
15	1/2"	14	51	12.5	14	39	52	24
20	3/4"	19	61	13.5	15	42	52	30






FORGED BRASS BUTTERFLY VALVE WITH UNION EXTENSION

Code	Size	Weight	Qty/Cn.
BTUN-01	1/2"	232 gm	144
BTUN-02	3/4"	334 gm	80

SPECIFIC DESCRIPTION OF BALL VALVE IN MM								
DN	Size	D	L	L1	L2	H	E	W
15	1/2"	14	82	12.5	14	39	52	24
20	3/4"	19	88	13.5	15	42	52	30







**uPVC BRASS BALL VALVE
(ONE SIDE uPVC)**

Code	Size	Weight	Qty/Cn.
UPBV-11	1"	340 gm	80

SPECIFIC DESCRIPTION OF uPVC BALL VALVE IN MM								
DN	Size	D	L	L1	L2	H	E	W
25	1"	24	80	15	26	64	108	37





uPVC BRASS BALL VALVE (TWO SIDE uPVC)


Salient Features :

- uPVC Female ends connection direct uPVC pipe
- Used for uPVC Pipe Fittings for cold water

Code	Size	Weight	Qty/Cn.
UPBV-01	1/2"	151 gm	108
UPBV-02	1"	315 gm	80

SPECIFIC DIMENSION OF uPVC BALL VALVE IN MM

DN	Size	D	L	L1	H	E
15	1/2"	14	76	23	52	99
25	1"	24	93	26	64	108





cPVC BRASS BALL VALVE (TWO SIDE cPVC)


Salient Features :


- cPVC Female ends connection direct cPVC pipe
- Used for uPVC Pipe Fittings for Hot and cold water

Code	Size	Weight	Qty/Cn.
CPBV-02	3/4"	160 gm	108
CPBV-03	1"	320 gm	80
CPBV-04	1.1/4"	325 gm	80

SPECIFIC DIMENSION OF cPVC BALL VALVE IN MM

DN	Size	D	L	L1	H	E
20	1/2"	14	76	23	52	99
25	1"	24	87	23	64	108
32	1.1/4"	26	93	26	64	108





BRASS CHECK VALVE (VERTICAL)


Salient Features :

- Screwed Female ends
- Single piece design
- Used for vertical lines only
- Permits flow in one direction and shuts automatically if the flow reverses
- Spring inside

Code	Size	Weight	Qty/Cn.
BCVV-03	1"	300 gm	100

SPECIFIC DIMENSION OF uPVC BALL VALVE IN MM

DN	Size	A	A/F	A/C	G	H	L	I
25	1"	18	36	40	1"	44	75	27





uPVC BRASS CHECK VALVE (VERTICAL) (TWO SIDE uPVC)


Salient Features :

- uPVC Female ends connection direct uPVC pipe
- Single piece design
- Used for vertical lines only for cold water
- Permits flow in one direction and shuts automatically if the flow reverts
- Spring inside

Code	Size	Weight	Qty/Cn.
UCVV-03	1"	268 gm	80


SPECIFIC DIMENSION OF uPVC CHECK VALVE (VERTICAL) IN MM

DN	Size	A	G	H	L	I
25	1"	26	1"	44	107	27





ANANTA IMPEX
WHERE DURABILITY MEETS ELEGANCE



ANANTA IMPEX

📍 Plot No. 4, GIDC Phase 1, Shanker Takri Udhyog Nagar, Old
Post Office Road. **Jamnagar-361004 (Guj) INDIA.**



anantaimpexx@gmail.com



anantaimpex.co.in.



+91 94272-07737



***We Can Also Make Export Quality According To
Your Drawing***